

fisher minute mount 2 installation guide

Fisher Minute Mount 2 installation guide is an essential resource for anyone looking to install this popular snow plow system. The Fisher Minute Mount 2 is renowned for its ease of use and efficiency, allowing users to quickly attach and detach the plow from their vehicle. This article provides a comprehensive step-by-step guide to help you successfully install the Fisher Minute Mount 2 system, ensuring you are prepared for the winter season ahead.

What is the Fisher Minute Mount 2 System?

The Fisher Minute Mount 2 is a versatile snow plow system designed for various vehicles, including trucks and SUVs. Its innovative mounting system allows for quick attachment and detachment, making it convenient for users who may need to transition between different tasks throughout the day. Key features of the Fisher Minute Mount 2 include:

- Easy installation process
- Durable construction for long-lasting performance
- Compatible with a wide range of vehicles
- Designed for efficient snow clearing

Tools and Materials Needed

Before beginning the installation of the Fisher Minute Mount 2, ensure you have the following tools and materials on hand:

Tools

- Socket set (including deep sockets)
- Wrenches
- Screwdrivers (flathead and Phillips)
- Torque wrench

- Drill with bits (if necessary)
- Level
- Measuring tape

Materials

- Fisher Minute Mount 2 snow plow kit
- Mounting hardware (included in the kit)
- Vehicle-specific wiring harness (if applicable)
- Lubricant (for bolts and hinges)

Step-by-Step Installation Guide

Installing the Fisher Minute Mount 2 system can be straightforward if you follow these detailed steps carefully.

Step 1: Prepare Your Vehicle

1. Choose a Suitable Location: Find a flat, open area to work on your vehicle. Ensure the ground is stable and free from obstructions.
2. Park the Vehicle: Park the vehicle on a level surface and engage the parking brake.
3. Disconnect the Battery: For safety, disconnect the negative terminal of your vehicle's battery to prevent any electric shock during the installation.

Step 2: Assemble the Mounting Bracket

1. Review the Instruction Manual: Before starting assembly, read through the instruction manual provided with the Fisher Minute Mount 2 kit for vehicle-specific details.
2. Identify Components: Lay out all the mounting components and hardware to ensure you have everything you need.
3. Attach Mounting Plates: Using the included bolts and hardware, attach the mounting plates to the vehicle's frame. Make sure they are securely fastened and level.

Step 3: Install the Wiring Harness

1. **Locate the Wiring Harness:** If your vehicle requires a specific wiring harness, locate it in your kit.
2. **Route the Wires:** Carefully route the wires from the mounting bracket to the battery and switch location, avoiding any moving parts or hot surfaces.
3. **Connect the Wires:** Follow the wiring diagram provided in the instruction manual to connect the wires. Ensure all connections are tight and secure.

Step 4: Mount the Plow Frame

1. **Lift the Plow Frame:** With assistance or using a hoist, lift the plow frame and align it with the mounting brackets you installed in Step 2.
2. **Secure the Frame:** Once aligned, secure the frame using the provided pins and bolts. Double-check all connections for proper alignment and security.

Step 5: Install the Plow Blade

1. **Attach the Blade:** With the help of another person, lift the plow blade into position and attach it to the plow frame.
2. **Insert Pins:** Use the pins to secure the blade in place, ensuring they are properly locked.
3. **Check for Stability:** Gently shake the plow blade to ensure it is stable and secure.

Step 6: Final Adjustments

1. **Check Leveling:** Use a level to ensure the plow blade is positioned correctly. Make any necessary adjustments to achieve a level stance.
2. **Tighten All Bolts:** Go through each bolt and connection, tightening them to the manufacturer's specifications using a torque wrench.
3. **Recheck Wiring:** Ensure the wiring is properly secured and free from any potential snag points.

Post-Installation Checks

Once you have completed the installation, it's crucial to perform a few checks:

Electrical System Check

- Reconnect the vehicle battery and turn on the ignition.
- Test the plow's electrical functions, including lights and controls, to ensure everything is operational.

Physical Inspection

- Inspect all connections and bolts to confirm they are tight and secure.
- Verify that the plow blade moves freely and is properly aligned.

Maintenance Tips for the Fisher Minute Mount 2

Maintaining your Fisher Minute Mount 2 system is key to ensuring its longevity and performance. Here are some essential maintenance tips:

- Regularly check all bolts and connections for tightness, especially before the snow season.
- Inspect the wiring for any signs of wear or damage.
- Clean the plow blade after each use to prevent rust and corrosion.
- Lubricate moving parts periodically to ensure smooth operation.
- Store the plow in a dry, sheltered area during the off-season to protect it from the elements.

Conclusion

The **Fisher Minute Mount 2 installation guide** provides an easy-to-follow process for installing this efficient snow plow system. By carefully preparing your vehicle and following each step in the guide, you can ensure a successful installation. With proper maintenance, your Fisher Minute Mount 2 will serve you well throughout the winter, helping you clear snow quickly and efficiently.

Frequently Asked Questions

What tools do I need for the Fisher Minute Mount 2 installation?

To install the Fisher Minute Mount 2, you will need basic hand tools such as a socket set, wrenches, and a drill. Additionally, having a torque wrench is recommended for proper bolt tightening.

Is the Fisher Minute Mount 2 compatible with all truck models?

The Fisher Minute Mount 2 is designed to fit specific truck models. Always check the compatibility chart provided by Fisher for your vehicle's make and model before purchasing.

How long does it typically take to install the Fisher Minute Mount 2?

The installation of the Fisher Minute Mount 2 typically takes about 2 to 4 hours, depending on your mechanical skill level and familiarity with the equipment.

Do I need to modify my truck for the Fisher Minute Mount 2 installation?

In most cases, the Fisher Minute Mount 2 is designed for easy installation without major modifications. However, some truck models may require minor adjustments; consult the installation manual for details.

Can I install the Fisher Minute Mount 2 by myself?

Yes, you can install the Fisher Minute Mount 2 by yourself, but it is recommended to have a second person assist you, especially when lifting the plow onto the mount.

What safety precautions should I take during installation?

Always wear safety glasses and gloves during installation. Ensure your truck is parked on a flat surface and engaged in park mode. Use jack stands if you need to lift the vehicle for any reason.

Where can I find the installation manual for the Fisher Minute Mount 2?

The installation manual for the Fisher Minute Mount 2 can be found on the official Fisher Engineering website or can be obtained from your local Fisher dealer.

What should I do if I encounter issues during installation?

If you encounter issues during installation, refer to the troubleshooting section of the installation manual. You can also contact Fisher customer support for assistance or consult with a professional installer.

Fisher Minute Mount 2 Installation Guide

Fisher Minute Mount 2 Installation Guide

Related Articles

- [for the love of nancy dvd](#)
- [folk tales around the world](#)
- [focus on the family careers](#)

[Back to Home](#)