

jira jql cheat sheet

Mastering Jira with a Powerful JQL Cheat Sheet

jira jql cheat sheet is an indispensable resource for anyone working within the Atlassian Jira ecosystem, aiming to enhance their efficiency and data retrieval capabilities. This comprehensive guide delves deep into the nuances of Jira Query Language (JQL), providing users with the tools and knowledge to construct sophisticated queries for pinpointing specific issues, understanding project progress, and generating insightful reports. We will explore fundamental JQL operators, advanced searching techniques, and practical examples that illuminate the power of this essential language. From simple searches for open bugs to complex analyses of team performance, a well-crafted JQL query can unlock a wealth of information within your Jira instance. This article serves as your ultimate JQL companion, simplifying the process of data extraction and analysis.

Table of Contents

Understanding Jira Query Language (JQL) Fundamentals

Key JQL Operators and Their Usage

Common JQL Fields for Effective Searching

Building Advanced JQL Queries

Tips for Optimizing Your JQL Searches

Practical JQL Examples for Everyday Jira Use

Leveraging JQL for Reporting and Dashboards

Troubleshooting Common JQL Issues

Understanding Jira Query Language (JQL) Fundamentals

Jira Query Language (JQL) is a powerful, text-based query language that allows users to search for issues within Jira. It goes far beyond the basic search functionalities, enabling precise filtering based on a multitude of criteria. At its core, JQL uses a syntax similar to SQL, but it's specifically tailored for Jira's data structure. Understanding the fundamental building blocks of JQL is crucial for any user looking to maximize their Jira experience. This involves grasping the concept of fields, operators, and keywords that form the backbone of any JQL statement.

The primary goal of JQL is to provide users with granular control over their issue searches. Instead of sifting through hundreds or thousands of issues manually, JQL allows for the rapid identification of specific information. This efficiency gain is invaluable for project managers, developers, testers, and anyone who relies on Jira for task tracking and project management. Mastering JQL can significantly reduce the time spent searching and increase the accuracy of the data you retrieve, ultimately leading to better decision-making.

Key JQL Operators and Their Usage

The effectiveness of your JQL queries hinges on your understanding and application of various operators. These operators define the relationship between the fields and the values you are searching for. Mastering these will allow you to construct precise and powerful search statements.

Comparison Operators

Comparison operators are used to compare a field's value against a specific value or set of values. They are the most fundamental operators in JQL.

- **=** (Equal to): Finds issues where the field's value exactly matches the specified value.
- **!=** (Not equal to): Finds issues where the field's value does not match the specified value.
- **>** (Greater than): Finds issues where the field's value is greater than the specified value (typically used for dates or numbers).
- **<** (Less than): Finds issues where the field's value is less than the specified value (typically used for dates or numbers).
- **>=** (Greater than or equal to): Finds issues where the field's value is greater than or equal to the specified value.
- **<=** (Less than or equal to): Finds issues where the field's value is less than or equal to the specified value.

Membership Operators

Membership operators are used to check if a value is present or absent within a collection of values.

- **IN**: Finds issues where the field's value is one of the specified values in a list.
- **NOT IN**: Finds issues where the field's value is not among the specified values in a list.

Wildcard Operators

Wildcard operators are incredibly useful for partial string matching in text-based fields.

- **~** (Contains): Finds issues where a text field contains the specified

substring. This is case-insensitive.

- (Wildcard): Used within string values to match any sequence of characters (e.g., "abc" will match "abc", "abcd", "abcdef").
- ? (Wildcard): Used within string values to match a single character (e.g., "ab?d" will match "abcd", "abxd").

Ordering and Grouping Operators

While not strictly for filtering, these operators are crucial for refining search results.

- **ORDER BY:** Sorts the search results based on one or more fields, in ascending (ASC) or descending (DESC) order.
- **GROUP BY:** Groups search results by a specified field.

Logical Operators

Logical operators are used to combine multiple JQL clauses, allowing for more complex and nuanced searches.

- **AND:** Combines two conditions, requiring both to be true for an issue to be returned.
- **OR:** Combines two conditions, requiring at least one to be true for an issue to be returned.
- **NOT:** Negates a condition, returning issues that do not match the specified criteria.

Common JQL Fields for Effective Searching

The power of JQL lies in its ability to query a vast array of Jira fields. Understanding the most commonly used fields will equip you to build highly effective searches. These fields represent different attributes of a Jira issue, from its basic identification to its status, assignee, and even custom configurations.

Core Issue Fields

These are the fundamental fields present in almost all Jira projects and are essential for basic issue retrieval.

- **project:** Filters issues by the project they belong to.
- **issuetype:** Filters issues by their type (e.g., Bug, Story, Task, Epic).
- **status:** Filters issues based on their current workflow status (e.g., "To Do", "In Progress", "Done").
- **assignee:** Filters issues assigned to a specific user.
- **reporter:** Filters issues reported by a specific user.
- **summary:** Filters issues based on keywords in their summary (title).
- **description:** Filters issues based on keywords in their description.
- **created:** Filters issues based on their creation date.
- **updated:** Filters issues based on their last update date.
- **duedate:** Filters issues based on their due date.

Workflow and Custom Fields

Jira's flexibility means you'll often encounter custom fields and fields related to workflows that are critical for in-depth analysis.

- **resolution:** Filters issues based on their resolution status (e.g., "Fixed", "Won't Fix", "Duplicate").
- **priority:** Filters issues by their priority level (e.g., "Highest", "High", "Medium", "Low").
- **labels:** Filters issues by any labels assigned to them.
- **components:** Filters issues by their associated project components.
- **fixVersion:** Filters issues by the version they are intended to be fixed in.
- **sprint:** Filters issues belonging to a specific sprint.
- **epics:** Filters issues that are part of a specific Epic.
- **customfield_XXXXX:** This placeholder represents any custom field. You'll need to know the specific ID of your custom field to query it.

Building Advanced JQL Queries

Once you have a solid grasp of the fundamental fields and operators, you can start constructing more complex and powerful JQL queries. These advanced techniques allow for highly specific data extraction and analysis, enabling you to answer intricate questions about your projects and teams. Combining multiple conditions, using subqueries, and leveraging functions are key to unlocking the full potential of JQL.

Combining Multiple Conditions

The ``AND``, ``OR``, and ``NOT`` operators are essential for building complex queries. By chaining these operators, you can create highly specific search criteria. For instance, you might want to find all "Bugs" that are "High" priority and have been "In Progress" for more than 7 days.

```
jql
project = "MyProject" AND issuetype = Bug AND priority = High AND status =
"In Progress" AND updated < -7d
```

Using Parentheses for Grouping

Just like in mathematical expressions, parentheses in JQL are used to control the order of operations and group conditions. This is particularly useful when you have a mix of ``AND`` and ``OR`` operators, ensuring that the logic is evaluated as intended.

For example, to find issues that are either "Critical" priority OR assigned to a specific user, and are also in the "Open" status:

```
jql
project = "MyProject" AND (priority = Critical OR assignee = currentUser())
AND status = Open
```

Leveraging Functions

JQL offers built-in functions that can dynamically retrieve information, making your queries more robust and less prone to manual updates.

- **currentUser()**: Represents the currently logged-in user. Useful for queries like "assigned to me".
- **membersOf("groupname")**: Returns users who are members of a specified group.
- **now()**: Represents the current date and time.
- **startOfDay()**, **startOfWeek()**, **startOfMonth()**, **startOfYear()**: These functions return the start of the specified time period.

- **endOfDay(), endOfWeek(), endOfMonth(), endOfYear():** These functions return the end of the specified time period.

Working with Dates and Times

JQL's date and time functions are incredibly powerful for time-based analysis. You can specify relative dates (e.g., ``-7d`` for 7 days ago, ``+2w`` for 2 weeks from now) or absolute dates.

```
jql
createdDate > startOfMonth() AND createdDate < endOfMonth() // Issues created
this month
duedate <= now() AND status != Done // Overdue issues that are not closed
```

Tips for Optimizing Your JQL Searches

Efficient JQL queries not only save you time but also improve Jira's performance. By following a few optimization strategies, you can ensure your searches are both fast and accurate, leading to a smoother user experience across your Jira instance. Avoiding common pitfalls can also prevent unexpected results and performance degradation.

- **Be Specific:** The more specific your query, the faster Jira can find the results. Avoid overly broad searches, especially on large instances. Instead of ``project = "All Projects"``, specify the actual project name.
- **Use Indexes Wisely:** Jira indexes most fields to speed up searches. However, querying text fields like ``description`` or ``summary`` without specific keywords can be slow. If you frequently search within these fields, consider using the ``~`` operator with specific terms.
- **Prioritize Fields:** For complex queries with multiple ``AND`` conditions, place the most restrictive conditions (those that eliminate the most issues) first. This helps Jira narrow down the search space more quickly.
- **Avoid Wildcards at the Beginning of a Search:** A query like ``summary ~ "error"`` is less efficient than ``summary ~ "error"``. When a wildcard is at the beginning, Jira often has to scan more data.
- **Use ``IN`` for Multiple Values:** Instead of ``status = "Open" OR status = "In Progress"``, use ``status IN ("Open", "In Progress")``. This is cleaner and often more performant.
- **Limit Scope with ``project`` and ``issuetype``:** These are usually the first fields to specify as they dramatically reduce the number of issues Jira needs to consider.

- **Test Your Queries:** Always test your JQL queries, especially complex ones, on a smaller dataset or in a staging environment if possible. Check the number of results and ensure they match your expectations.
- **Regularly Review and Refine:** As your projects and Jira usage evolve, your JQL queries may need to be updated. Periodically review your most used filters and dashboards to ensure they are still relevant and efficient.

Practical JQL Examples for Everyday Jira Use

To illustrate the power and versatility of JQL, let's explore some practical examples that you can adapt for your daily Jira tasks. These examples cover common scenarios faced by development teams and project managers, demonstrating how JQL can be used to gain specific insights.

Finding My Open Tasks

This is a fundamental query for any individual user.

```
jql  
assignee = currentUser() AND status != Done
```

Identifying Overdue Bugs

Crucial for any team focused on quality.

```
jql  
project = "MyProject" AND issuetype = Bug AND duedate < now() AND resolution  
= Unresolved
```

Issues Created This Week in a Specific Project

Useful for tracking recent activity and planning.

```
jql  
project = "MyProject" AND created >= startOfWeek() AND created <= endOfWeek()
```

All Stories Not Yet in a Sprint

Helps in sprint planning and backlog grooming.

```
jql  
project = "MyProject" AND issuetype = Story AND sprint is EMPTY
```

Bugs Assigned to a Specific Team Member That Were Reported Last Month

For performance reviews or detailed bug tracking.

jql

```
project = "MyProject" AND issuetype = Bug AND assignee = "John Doe" AND  
created >= startOfMonth(-1) AND created <= endOfMonth(-1)
```

Issues with a Specific Label and High Priority

Useful for identifying critical tasks tagged with specific keywords.

jql

```
project = "MyProject" AND labels = "performance" AND priority = Highest
```

Tasks Created by a Certain User That Were Resolved by Another

For auditing or understanding team collaboration.

jql

```
project = "MyProject" AND reporter = "Jane Smith" AND resolution is not EMPTY  
AND resolution.assignee = "Peter Jones"
```

Leveraging JQL for Reporting and Dashboards

JQL is not just for ad-hoc searching; it's a cornerstone for building dynamic and insightful Jira dashboards and reports. By saving your JQL queries, you can create gadgets that visualize your project's progress, team performance, and potential bottlenecks in real-time. This transforms raw data into actionable intelligence.

Dashboards in Jira are collections of gadgets, and many of these gadgets rely on JQL to fetch the data they display. Common gadgets that utilize JQL include:

- **Filter Results:** Displays issues based on a saved JQL filter.
- **Issue Statistics:** Shows a breakdown of issues by a chosen field (e.g., by assignee, by status, by priority).
- **Assigned to Me:** A specialized gadget that typically uses `assignee = currentUser()`.
- **Two Dimensional Filter Statistics:** Provides a cross-tabulation of issues based on two chosen fields.
- **Sprint Health Gadget:** Often uses JQL to display sprint progress, completed stories, and remaining work.

Saving a JQL query as a filter is the first step to integrating it into dashboards. Once saved, you can select that filter as the data source for various gadgets. This allows for automated updates, meaning your dashboard

always reflects the current state of your Jira projects. For example, a "Bugs by Priority" chart on your dashboard can be powered by a JQL query like ``project = "MyProject" AND issuetype = Bug ORDER BY priority DESC``.

Troubleshooting Common JQL Issues

Even experienced users can encounter issues when writing JQL queries. Understanding common problems and their solutions can save a lot of frustration and ensure your queries work as expected. Many JQL errors stem from syntax mistakes, incorrect field names, or logical flaws in the query construction.

Invalid JQL Syntax

This is the most common error, often caused by typos, missing colons, or incorrect operator usage. Jira usually provides an error message indicating the approximate location of the syntax error. Double-check all operators, field names, and values for proper formatting.

Unknown Field or Function

If Jira reports an "unknown field" or "unknown function," it means you've used a field name or function that doesn't exist in your Jira instance or is not accessible to you. Ensure you are using the correct field name (especially for custom fields, which have numeric IDs like ``customfield_10001``). Similarly, verify that the function name is spelled correctly and is a valid JQL function.

Permissions Issues

You might construct a perfectly valid JQL query, but if you don't have the necessary permissions to view certain projects or issues, the results will be filtered accordingly. JQL respects Jira's permission schemes. If a query seems to be missing issues you expect to see, check your project permissions.

Case Sensitivity and Whitespace

While JQL is generally case-insensitive for keywords and values (e.g., ``status = open`` is the same as ``status = Open``), it's good practice to maintain consistency. Whitespace can also matter in certain contexts, especially when searching for exact string matches. Always ensure there are no unintended spaces before or after values.

Misunderstanding Operator Precedence

As mentioned earlier, using parentheses ``()`` is crucial for complex queries with mixed ``AND`` and ``OR`` operators. Without them, the query might be evaluated in an order that produces unexpected results. For example, ``status = Open AND priority = High OR assignee = currentUser()`` will behave differently than ``status = Open AND (priority = High OR assignee = currentUser())``.

Performance Degradation

If a JQL query is taking a very long time to execute, it might be inefficient. This can happen with overly broad searches, extensive use of wildcards at the beginning of text fields, or complex subqueries on large datasets. Review the optimization tips provided earlier to refine such queries.

Custom Field Issues

Custom fields are a common source of JQL problems.

- Ensure you have the correct custom field ID (e.g., customfield_10001).
- Confirm the data type of the custom field matches the value you are querying (e.g., don't try to query a date field with a text string).
- Check if the custom field is properly configured and available in the project you are searching.

Q: What is JQL and why is it important for Jira users?

A: JQL, or Jira Query Language, is a powerful text-based language used within Atlassian Jira to search for and filter issues. It is important for Jira users because it allows for precise and efficient retrieval of specific information from vast datasets, going far beyond basic search capabilities. Mastering JQL enhances productivity, aids in reporting, and enables deeper project insights.

Q: How can I find all the issues assigned to me that are not yet completed?

A: You can find all issues assigned to you that are not yet completed by using the following JQL query: ``assignee = currentUser() AND status != Done``. This query specifies that the assignee must be the current user and the status should not be 'Done'.

Q: What is the difference between the ``IN`` and ``NOT IN`` operators in JQL?

A: The ``IN`` operator in JQL is used to find issues where a field's value is one of the specified values in a list. For example, ``status IN ("Open", "In Progress")`` would find issues that are either 'Open' or 'In Progress'. The ``NOT IN`` operator, conversely, finds issues where the field's value is not among the specified values in a list. For example, ``status NOT IN ("Done", "Closed")`` would find issues that are neither 'Done' nor 'Closed'.

Q: Can I use JQL to find issues created within a specific date range?

A: Yes, JQL is excellent for date-based searches. You can use relative dates like ``now()``, ``startOfDay()``, ``endOfWeek()``, or specify exact dates. For example, to find issues created in the last 7 days, you would use ``created >= -7d``. To find issues created this month, you could use ``created >=`

`startOfMonth() AND created <= endOfMonth()`.

Q: How do I search for issues that contain a specific word in their summary?

A: To search for issues containing a specific word in their summary, you can use the `~`` (contains) operator. For instance, `summary ~ "error"` will find all issues whose summary contains the word "error" (case-insensitive). For more precise matching, you can use wildcards like `summary ~ "error"` to find summaries starting with "error".

Q: What are custom fields in JQL, and how do I query them?

A: Custom fields in Jira are fields that teams create to capture specific information not covered by default Jira fields. In JQL, custom fields are referenced by their unique numeric ID, typically in the format ``customfield_XXXX`` (e.g., ``customfield_10023``). You can find the ID of a custom field by inspecting the URL when editing the field in Jira administration or by using browser developer tools. Once you have the ID, you can query it like any other field, e.g., ``customfield_10023 = "Specific Value"``.

Q: How can I use JQL to see all overdue tasks that are assigned to anyone in the 'Developers' group?

A: You can use the following JQL query: ``duedate < now() AND assignee IN membersOf("Developers") AND status != Done``. This query finds issues with a due date in the past (``duedate < now()``), assigned to any user in the 'Developers' group (``assignee IN membersOf("Developers")``), and are not yet marked as 'Done' (``status != Done``).

Q: What is the ``currentUser()`` function in JQL used for?

A: The ``currentUser()`` function in JQL is a dynamic placeholder that automatically resolves to the username of the person currently logged into Jira and running the query. It's incredibly useful for creating personalized filters, such as ``assignee = currentUser()`` to find issues assigned to yourself, or ``reporter = currentUser()`` to see issues you have reported.

Q: Can JQL perform case-sensitive searches?

A: Generally, JQL is case-insensitive for keywords, operators, and most field values. However, when dealing with specific text fields and the `~`` (contains) operator, it's treated as case-insensitive by default. For exact string matches, it's best to use precise capitalization and potentially the ``=`` operator, though JQL's interpretation of case sensitivity can sometimes be nuanced and depend on Jira's configuration. For most practical purposes, assuming case-insensitivity is safe.

Q: How do I sort search results in JQL?

A: You can sort search results in JQL using the ``ORDER BY`` clause. You specify the field you want to sort by and can optionally add ``ASC`` for ascending order or ``DESC`` for descending order. For example, ``ORDER BY created DESC`` will sort your results by the creation date, showing the newest issues first. You can also order by multiple fields, like ``ORDER BY priority DESC, updated ASC``.

[Jira Jql Cheat Sheet](#)

Jira Jql Cheat Sheet

Related Articles

- [jack o lantern graphing worksheet](#)
- [john carpenters vampires parents guide](#)
- [john bishop how did all this happen](#)

[Back to Home](#)